

(1) **EU-Type Examination Certificate**
(2) **Equipment or Protective Systems Intended for use in Potentially Explosive Atmospheres**

Directive 2014/34/EU

(3) EU – Type Examination Certificate Number: **IEP 21 ATEX 0966X**

(4) Product: **Cable Glands MVCGA series ; Brand GLAKOR**

(5) Applicant Name: **Delvalle Global Solutions, SLU**

(6) Address: **Paso el Prao 6, 01320 Oyón, Álava, SPAIN**

(7) This product and any of acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) The IEP Uluslararası Enerji Petrol Gözetim, Sertifikasyon ve Teknik Hizmetler Organizasyonu Tic. Ltd. Sti., notified body number 2284 in accordance with Article 17 of the Directive 2014/34/EU of European Parliament and of the Council, dated 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres, given in Annex II to the Directive. The examination and test results are recorded in confidential Report Nr: IEP.Rp.Ex.10-1972 date 24.07.2021.

(9) Compliance with Essential Health and safety requirements has been assured by compliance with;

EN IEC 60079-0:2018, EN 60079-1:2014, EN 60079-31:2014

(10) If the sign “ X “ is placed after the certificate number, it indicates that the product is subject to Specified Conditions of Safe Use specified in the schedule to this certificate.

(11) This EU-Type Examination Certificate relates only to the design and construction of the specified product in accordance to the directive 2014/34/EU. Further requirements of the directive apply to the manufacturing process and supply of this product. These are not covered by this certificate.

(12) The marking of the equipment or protective system shall include the following:



**I M2 Ex db I Mb
II 2G Ex db IIC Gb
II 2D Ex tb IIC Db**

Responsible Person:

Nurettin Terzioglu
Head of Certification Body



Date of Issue: 03.08.2021





IEP ENERGY PETROLEUM INSTITUTE

(13) Schedule

(14) Certificate Nr: **IEP 21 ATEX 0966X**

(15) Technical Details: MVCGA series Armour Cable Gland Details, IP 66/68

Cable Gland Size	Entry Thread	Cable outer sheath Ø mm	
		Min.	Max.
16	M16x1,5	6,1	13,2
20ss	M20ssx1,5	6,1	13,2
20s	M20sx1,5	9,5	15,9
20	M20x1,5	12,5	20,9
25s	M25sx1,5	14,0	22,0
25	M25x1,5	18,2	26,2
32	M32x1,5	23,7	33,9
40	M40x1,5	27,9	40,4
50s	M50sx1,5	35,2	46,7
50	M50x1,5	40,4	53,1
63s	M63sx1,5	45,6	59,4
63	M63x1,5	54,6	65,9
75s	M75sx1,5	59,0	72,1
75	M75x1,5	66,7	78,5
90	M90x2,0	76,2	90,4
100	M100x2,0	86,1	101,5
115	M115x2,0	101,5	110,3
130	M130x2,0	114,2	123,3

Temperature of isolation:

NBR sealing ring : (-30 ; + 120) °C

Neoprene sealing ring : (-40 ; + 100) °C

Silicon sealing ring : (-60 ; + 180) °C

(16) Description of Equipment

Cable Gland Series Type MVCGA made from according to brass, stainless steel and aluminum. The ranges of cable glands are metallic and intended to terminate circular armored and braided cables (as defined type designations) into a threaded entry point within associated flameproof, increased safety or dust tight enclosures (as defined by their coding). Cable sealing ring, rubber washer is made from silicone rubber. Climbing ring is made from PA V0.

Responsible Person:

Nurettin Terzioglu
Head of Certification Body



IEP Uluslararası Enerji Petrol Gözetim, Sertifikasyon ve Teknik Hizmetler Organizasyon Ticaret Limited Sirketi
5746/1 Sk. No:9 K:2 Bornova - IZMIR / TURKEY Tel: +90 232 431 1745 – 46 Fax: +90 232 431 1730 E-mail: iep@iep.com.tr Fr: 45

This certificate is granted subject to the general conditions of the IEP Energy Petroleum Institute. This certificate may only be reproduced in its entirety and without any change, schedule included. You can check accuracy of this document by www.iep.com.tr.



IEP ENERGY PETROLEUM INSTITUTE

(17) Certificate Nr: IEP 21 ATEX 0966X

The MVCGA type range of cable glands are intended to terminate tape cables into enclosures without compromising the explosion protection provided by the enclosures in accordance with relevant codes of practice. They consist of a male-threaded front entry component, a front seal, a main body component, a rear seal, an actuating nut and a rear running coupling. The front entry component is intended to screw into an entry point of its associated enclosure. The seals are compressed onto the cable when the body component and actuating nut are tightened. A continuity diaphragm and skid washer are fitted behind the front seal.

Cable Gland series Type MVCGA has been evaluate in the contents of IP 66/68 with by cable.

Materials of Manufacture:

Brass to EN12168:1998 Grade CuZn39Pb (CW614N)

Mild steel to EN 10088-3:2005 Grade 220M07Pb

Stainless steel to EN 10088-3:2005 Grade 316S11, 316S13, 316S31 or 316S33

Aluminum alloy not inferior to grade 6082 to EN755,1-3:1996 or LM25 to EN 1676:2010 (Not Group I)

(18) List of documentation;

Cable Gland series Type MVCGA operating manual date 11.05.2021 [4 pages]

Drawing Nr ;	Date ;
MVCGA-000	18.12.2013
MVCGA-000	18.12.2013
MVCGA-518	12.08.2013
MVCGA-526	01.11.2013
MVCGA- 528	01.11.2013
MVCGA-514	03.09.2013
MVCGA- 519	20.08.2013
MVCGA-520	27.08.2013
MVCGA-521	29.08.2013
MVCGA-530	23.08.2013
MVCGA-523	23.08.2013
MVCGA-517	23.08.2013
MVCGA-515	23.08.2013
MVCGA-527	05.11.2013

Cable Gland Series Type MVCGA are indicated in the part list Table 1 and date 11.05.2021.

This certificate is in the contents of standards that mentioned in item [9] It has been accepted that Cable Gland series Type MVCGA are manufactured according to the producer instructions and the standards mentioned above.

Responsible Person:

Nurettin Terzioğlu
Head of Certification Body



Date of Issue: 03.08.2021

